

Inte fungerar

Om du angav fungerar inte, detta kan bero på tillfälligt underhåll eller att länken är felaktig.

Detailed error information (authorized by permissions to functions)

2008-12-07 11:35:46

140.166.83.112

Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 5.2; .NET CLR 1.1.4322; .NET CLR 2.0.50727; .NET CLR 3.0.04506.30; .NET CLR 3.0.04506.648; .NET CLR 3.5.21022; .NET CLR 3.0.4506.2152; .NET CLR 3.5.30729)

http://epicmsextra1.webbhotell.vgregion.se/press_plugin/press_templates/PressMessage.aspx?id=14472&epslanguage=sv?id=14472&qenPDF=true

(none)

Message: Object reference not set to an instance of an object.

An unhandled exception occurred during the execution of the current web request. Please review the stack trace for more information about the error and where it occurred.

Details: System.Exception: id: 0 ex.Message: Object reference not set to an instance of an object.

Stack:

The code that generated this unhandled exception can only be shown when compiled in debug mode. To view the code, please follow one of the below steps, then request the URL:

1. Add the "Debug=true" directive at the top of the file that generated the error. Example:

```
<code Language="C#" Debug="true" %>
```

2. Add the following section to the configuration file of your application:

```
<configuration>  
<system.web>  
<compilation debug="true"/>  
</system.web>  
</configuration>
```

3. This second technique will cause all files within a given application to be compiled in debug mode. The first technique will cause only that particular file to be compiled in debug mode.

4. Running applications in debug mode does incur a memory/performance overhead. You should make sure your application has debugging disabled before deploying into production scenario.

id: 0 ex.Message: Object reference not set to an instance of an object.]

API.PressAPI.GetDivisionById(Int32 id) +293

CMS.press_plugin.press_templates.units.PressMessage.GetDivisionData(String colname) +137

press_plugin_press_templates_units_pressmessage_ascx.__DataBind__control2(Object sender, EventArgs e) +62

Web.UI.Control.OnDataBinding(EventArgs e) +99

Web.UI.Control.DataBind(Boolean raiseOnDataBinding) +92

Web.UI.Control.DataBind() +15

Web.UI.Control.DataBindChildren() +211

Web.UI.Control.DataBind(Boolean raiseOnDataBinding) +102

Web.UI.Control.DataBind() +15

Web.UI.Control.DataBindChildren() +211

Web.UI.Control.DataBind(Boolean raiseOnDataBinding) +102

```
Web.UI.Control.DataBind() +15
CMS.press_plugin.press_templates.units.PressMessage.Page_Load(Object sender, EventArgs e) +45
Web.Util.CalliHelper.EventArgFunctionCaller(IntPtr fp, Object o, Object t, EventArgs e) +14
Web.Util.CalliEventHandlerDelegateProxy.Callback(Object sender, EventArgs e) +35
Web.UI.Control.OnLoad(EventArgs e) +99
Web.UI.Control.LoadRecursive() +50
Web.UI.Control.LoadRecursive() +141
Web.UI.Control.LoadRecursive() +141
Web.UI.Control.LoadRecursive() +141
Web.UI.Control.LoadRecursive() +141
Web.UI.Control.LoadRecursive() +141
Web.UI.Page.ProcessRequestMain(Boolean includeStagesBeforeAsyncPoint, Boolean includeStagesAfterAsyncPoint) +627
```